



:VAIARA 442
(MEK + EA + TO)

(Emergency Telephone Number)
032-574-1989 (24 hours)

MSDS 등록번호 :AA13841-0000000003

1.

가.

- : VAIARA 442
- UN : 1993
- .
- :
- :
- . / /
-
- : ()
- : 032-574-1989
- : 가 37 17 (가)

2.

가.

- 2
- 2
- 2
- 2
- (1) 3()
- () 2
- 1

- .
-



- :

○

H225
H304
H315
H319
H336
H361
H371
H372
H373

○

-

P201
P202
P210
P233
P240
P241
P242 가
P243
P260 가 ()
P261 가
P264
P271 가
P280

-

P301 + P310 ()
P302 + P352
P303 + P361 + P353 () /
P304 + P340 가
P305 + P351 + P338 . 가
P308 + P313
P312 ()
P314
P321
P331
P332 + P313
P337 + P313
P362 + P364
P370 + P378

-

P403 + P233 가
P403 + P235 가
P405 가

P501 ()

	NFPA		
/ TOLUENE	2	3	0
/ ETHYL ACETATE	1	3	0
/Methyl Ethyl Ketone	1	3	0

] 5 ()_	[2017.7.20.] [2017-12 , 2017.7.20.,
	4 .
4	[2016.4.6] [2016-19 , 2016.4.6,
] < 1> 3.3 .	'
/ 2 .	
[2017.7.20.] [2017-12 , 2017.7.20.,	] 5 ()

3.

		CAS No.	(W%)
		108-88-3	20~30
		141-78-6	30~40
		78-93-3	30~40

4.

가.

.
 -
 -
 -
 -
 .
 -
 -
 -
 .

5.

가. ()

○

- CO2

-

- ()

-

- ,

-

-

○

-

.

○

- 가

-

가 가

○

- 가 가

- 가

; , ,

-

-

- ; , ,

-

- /

-

- , ,

-

- , 가

-

(flash back)

.

-

- " 8 "

-

- , ,

- ()

-

- 3

- 가

- 가 ,

8.

가.

		ACGHI	
Toluene	TWA 50ppm, STEL 150ppm,	TWA 20ppm	2.5g/g crea
Ethyl acetate	TWA 400ppm,	TWA 400ppm	
Methyl ethyl ketone	TWA 200ppm STEL 300ppm	TWA 200ppm STEL 300ppm	2mg/L() MEK,

-

-

- , ,

-

- 가

- (" ") 가

-

- ,가

- ()

- (, ,)

-

-

9.

pH	
/	-95 ~ -84
	77 ~ 111

	-9
	.
(,)	
/	MIN : 1.4%, MAX : 12%
	526 mg/l (Toluene), 80 g/L (Ethyl acetate), 223 g/L(MEK)
()	
	28.4 mmHg (25) (Toluene), 93.2 mmHg (25) (Ethyl acetate),90.6 mmHg(25)(Methyl ethyl ketone)
	0.8669(Toluene),09003(Ethyl acetate),0.8054(Methyl ethyl ketone)
N- /	2.7
	427
	3.14(Toluene), 3.04(Ethyl acetate), 2.5(Methyl ethyl ketone)
	.

10.

가. 가

- 가 가 .
- 가 ; , , .
- .
- 가 .
- .
- ; , , .
- / .
- .
- , , 가 .
- .
- , , .
- .
- .
- .
- .
- (, ,)
- , , .
- .
- 가 , .
- , 가 .
- .
- / .

- , , 가 .
- 가 가 .

11.

가. 가

, , 가

.
가 , .

○

- PRODUCT :
- : LD50 > 5580 / LD50 > 5620 /LD50 > 2737(mg/kg)

- PRODUCT :
- : LD50 > 5000 / LD50 > 18000 / LD50>6480(mg/kg)

- (가) PRODUCT :
- : / LD 50 > 100

- () PRODUCT :
- : : / LC50 > 32mg/l 4 hr mouse

- (/) PRODUCT :
- : : :

○ PRODUCT : 2

- : 2 / Rabbit : / :

○ PRODUCT : 2

- : 2/ : 2/ :

○ PRODUCT :

- : : :

○ PRODUCT :

- : / : / / /

○ PRODUCT :

- : : :

. :

- OSHA :
- NTP :
- IARC : 3
- EU CLP :
- ACGIH : A4

○ PRODUCT :

- / Mouse lymphoma cells

○ PRODUCT : 2

- 2 /

○ (1) PRODUCT : 3()

12.

13.

-	·
-	·
·	
-	·
-	,가 ,
-	가
-	" 8 "
-	, , ,
-	, , ,

14.

- 가. : 1993
- : Flammable liquid, n.o.s (contains Toluene , Ethyl acetate, Methyl ethyl ketone)
- : 3
- : PG II
- :
- 가 가 :
- : F-E
- : S-D

15.

- 가.
- , (, 1 wt% : , , :6 , : , 30),
(1 wt% , , :12 , :6)
-
- : , (85%) (25%) (25%)
-
- : 4 1 (200L) 4 1 (200L) 4 1 (200L)
-
- ()
-
- - : , :
 -
 -
 -
 -
 - 가

-
- - EU ()
 - F; R11 ,Xi; R36, R38 Xn; R48/20-65 Repr.Cat.3; R63 R66 R67
 - EU ()
 - R11, R36, R38, R48/20-65, R63, R65, R66, R67
 - EU ()
 - S2 S9 S16 S26 S33 S36 S37 S46 S62
 - 2006/507/EC
 -
 - 689/2008/EC
 -
 - Designation, Reportable Quantities, and Notification
 - : 1000 lb final RQ; 454 kg final RQ : :
 - Emergency Planning and Notification
 -
 - Toxic Chemical Release Reporting - Community Right-to-Know
 - : 1.0 % de minimis concentration : :
 - Process Safety Management of Highly Hazardous Chemicals
 -
-

16.

가.

- ACGIH
 - ATSDR
 - American Chemical Society, Washington DC.
 - American Industrial Hygiene Association Journal 30, 470-476
 - Chemosphere 14 (10). 1589-1616.
 - EHC
 - EHCA
 - Ecotoxicol. Environ. Saf. 39, 136-146.
 - HSDB
 - IARC
 - IUCLID
 - Marine Biology 31, 305-310
 - Publication
 - RTECS
 - Study report
-

-
- Toxicology 4, 5-15
 - Transactions A. Fish. Soc. 110, 430-436.
 - Water Research 13, 627-630

. : 2009.07.07

.

2010 5 20

. : , 가
2018 3 7

(2016 -19) (2016.4.16)
2018 9 12

가
() MSDS

MSDS 가
가
MSDS

가
MSDS : RGB () 02-597-0645